

Work Order ID 142872

142872

Page 1

Monday, March 21, 2016 9:02:53 AM

Item ID: D3637-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Bracket Assembly
 Start Date: 4/21/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 4/29/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: W Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3637	Rev B								
105		0.00							
105									
Purchasing	Memo	0.00							
Purchasing	ISSUE PO <u>31764</u>								
	CUT PER DRWG D3637 REV.B								
115	Receive & Inspect for Damage & Mat'l Certs	0.00							
115									
Packaging	Memo	0.00							
Packaging									
125		0.00							
125									
QC	DAS <u>QC3</u> Inspect part completeness to step on W/O	0.00							
Quality Control	Memo	0.00							

12 MAR 21 2016 DAS 13 9-89
12x SP16-08-01
12 DAS 38 9-89
 APR 02 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐			

Monday, March 21, 2016 9:02:53 AM

Page 2

Reference:

Stop *NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 142872

Monday, March 21, 2016 9:02:53 AM

142872

Page 3

Item ID: D3637-041

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Bracket Assembly

Start Date: 4/21/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 4/29/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: 51234A	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.02							
Quality Control									

12 DAS
8
9-89

MAY 06 2016

16/5/17**20160506**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date : _____	Step #: _____	QTY Effective : _____			MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐ _____						

Picklist Print

Monday, March 21, 2016 9:02:53 AM

Work Order ID: 142872

142872

Parent Item: D3637-041

D3637-041

Parent Item Name: Bracket Assembly

Start Date: 4/21/2016

Required Date: 4/29/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev:A New Issue 07-07-20 JLM Verified By:EC
IPP Rev:B change to REV.B as per dwg 08-02-11 DD verified by:ec

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3637-1P		Purchased	No				Each	0.0000		12			
D3637-1P									**				
Bracket													
M304S14GA		Purchased	No			140	sf	39.8500	0.09	1.136842			
M304S14GA									**				
304SS sheet .080													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				MAT019		39.85							
				M129972		39.85							
MS20426AD3-3		Purchased	No			100	Each	3,718.000	2	24			
MS20426AD3-3									**				
RIVET													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		1314							
				M131624		1314							
				ST312		2404							
				M131624		2404							
MS21059L4		Purchased	No			140	Each	46.0000	1	12			
MS21059L4									**				
Nutplate													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				CCK007		20							
				m133483		20							
				ST301		26							
				m133938		6							
				m134474		20							

12x sp/6-dw/

APR 01 2016
DAS
13
9-89

m134604
16/05/05
DAS
36
9-89

24

16/05/05
DAS
36
9-89

11

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐			




MS21059L4 NUT PLATE



MS20426AD3-3 RIVET
(2 PLACES)

D3637-1 BRACKET



D3637-041 BRACKET ASSEMBLY
(WAS GENEVA P/N G10602-1)

D3637-041 PARTS:


QTY	P/N	DESCRIPTION
X	D3637-041	BRACKET ASSEMBLY
1	D3637-1	BRACKET
1	MS21059L4	NUTPLATE
2	MS20426AD3-3	RIVET

D3637-041 NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: N/A
- 4) UNITS: N/A
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3637-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.27 lbs

STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 142872 MJS
1603-16


B	FOR D3637-1, 1 15 WAS 1 30 & "REF" REMOVED FROM ANGLE	LE	07.12.18
A	NEW ISSUE: REPLACES G10608, G10602 & G10609	LE	07.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	JS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	LE		
CHECKED	ME	DRAWING NO.	REV. B
MFG. APPR.	EP	D3637	SHEET 1 OF 3
APPROVED	ME	TITLE	SCALE
DE APPR.	ME	BRACKET	1:1
DATE	07.12.18	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3637-1F FLAT PATTERN




**D3637-1 BRACKET
(WAS GENEVA P/N G10608-1)**





D3637-1 NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, 14 GAUGE PER MIL-S-5059 (REF DART SPEC M304S14GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.26 lbs


DESIGN	TS	DART AEROSPACE LTD	
DRAWN	LE	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JE	DRAWING NO.	REV. B
MFG. APPR.	JP	D3637	SHEET 2 OF 3
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	BRACKET	1:
DATE	07.12.18	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D3637-3F FLAT PATTERN



**D3637-3 BRACKET
(WAS GENEVA P/N G10609-1)**



D3637-3 NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM 0.050 THICK PER QQ-A-250/4 OR AMS 4037 (REF DART SPEC M2024T3S 050)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4 1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3637-3" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.32 lbs

DESIGN	TS	DART AEROSPACE LTD	
DRAWN	LE	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RE	DRAWING NO.	REV. B
MFG. APPR.	34	D3637	SHEET 3 OF 3
APPROVED	IN	TITLE	SCALE
DE APPR.	IN	BRACKET	2:3
DATE	07.12.18	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31764**

Purchase Order Date 3/21/2016

PO Print Date 3/21/2016

Page Number 2 of 11

Order From :

VC-TP1001

TPI INDUSTRIES INC.
148 RUE GOODFELLOW
DELSON, QUEBEC J5B 1V4
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 450-633-0484

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB

Destination-Collect

3 D3637-1P ✓ Bracket 4/6/2016 FN 12.00 ✓
Yes
4/6/2016 Each

CUT AS PER DWG D3637 REV. B
B142872
MATERIAL 304 SHEET 14 GA

SP16-04-01

Line Total: \$54.00

4 D2585P ✓ Latch Clamp 4/6/2016 FN 65.00 ✓
Yes
4/6/2016 Each

CUT AS PER DWG D2585 REV. B
B142882
MATERIAL 304 SHEET 14 GA

Line Total: \$156.00

5 D4176-1P ✓ 429 Clamp, Top 4/6/2016 FN 8.00 ✓
Yes
4/6/2016 Each

CUT AS PER DWG D4176 REV. B
B143368
MATERIAL 304 SHEET 14 GA

SP16-04-01

Line Total: \$42.00

Note:

3/21/2016

T.P.I. INDUSTRIES INC.

148 GOODFELLOW
DELSON, QUÉBEC J5B 1V4
CANADA
Tel: (450) 633-0484
Fax: (450) 633-0879

Packing Slip

Packing Slip No.: 7436
Date: 2016-03-29
Page: 1

Sold to:	Ship to:
Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada	Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada
Order No.: 31764	Sold By: JONATHAN LESSARD
Shipped By:	Ship Date: 2016-03-30
Tracking No.:	

Item No.	Unit	Description	Quantity
D2281 ✓		jack saddle ✓	80 ✓
D2585 ✓		latch clamp ✓	65 ✓
D3637-041 ✓		bracket assy ✓	12 ✓
D4060-1 ✓		ski clamp ✓	132 ✓
D4176-1 ✓		429 clamp ✓	8 ✓
d2232-3 ✓	Chaque	d2232-3 basket hinge ✓	15 ✓
d2581 ✓		mounting bracket ✓	68 ✓
D3191-1 → DB 98-1 ✓		fitting ✓	10 ✓
D3405-041 ✓		ground handling lug ✓	32 ✓
D3405-043 ✓		ground handling lug ✓	6 ✓
d3561-1 ✓	Chaque	d3561-1 seal insert tool ✓	6 ✓
d3912-5 ✓	Chaque	d3912-5 eyebolt plate ✓	30 ✓
d4021-1 ✓	Chaque	d4021-1 handle plate ✓	14 ✓
d4148-1 ✓	Chaque	d4148-1 crosstube lug plate fwd ✓	44 ✓
d4149-1 ✓	Chaque	d4149-1 crosstube lug plate aft ✓	20 ✓
d4150-3 ✓	Chaque	d4150-3 arm plate ✓	8 ✓
d4151-1 ✓	Chaque	d4151-1 lower hardpoint plate ✓	40 ✓
d4151-3 ✓	Chaque	d4151-3 upper hardpoint plate ✓	42 ✓

Splb ai-di

Comment: Net / 30 from date of invoice 2% svc. chg. on invoices over 30 days

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
 .1200 Nom X 48.0000" X 96.0000"
 PART NO.

PO/Rel 31741

We certify that this is a true copy of the report
 furnished by the producer of the metal, or data
 resulting from tests made in approved labs.

Signed by: 

Certificate of Mill Test Results

BL PEC-983229-002

21Mar16

Pg 1/1



METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
 740 Imperial Road North
 Guelph, ON N1K1Z3
 Canada

740 Imperial Road North

Certificate: 117938 1

Customer: 007206 001

Mail To:

THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Ship To:

THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Date: 11/26/2015 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/14;180Bend-OK

Your Order: PEC271093

NAS Order: WN 0072789 07

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
 ASTM A240/15a,A480/14b,A666/15;ASME SA240/13,SA480/13,SA666/13
 CHEM ONLY ON FOLLOWING ASTM: A276/13,A479/13a,A484/13a,A312/13
 CHEM ONLY ON FOLLOWING ASME: SA312/13,SA479/13
 AMS 5511H/5513J XMRK; MIL-5059D AMD3(X CRN MEAS); MIL-4043B
 NACE MR0175/ISO 15156-3:2009 A, MR0103/07;QGS766D-A X MAG PERM
 MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
 EN 10204:2004 3.1; RoHS 1 & 2 Compliant
 Material is Free of Radioactive Contamination
 Steel Making Process: EAF, AOD, & Cont. Casting
 Product Mfg.by a Quality Mgt.Sys. in Conf. w/ISO 9001
 *Melted & Manufactured in the USA; Mat'l is DFARS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02X2A3 DA	02X2A3 D		.1163	48.0000	4.970	SHEETS	096.00	32	

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08


HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
X2A3	US	.0270	18.2380	.3950	1.7650	.3735	.0830	8.0045	.0340	.0010
SI %										
.2375										

MECHANICAL PROPERTIES

MECHANICAL PROPERTIES							
Product Id#	Coil #	1 d o i c r	UTS KSI	20C .2% YS KSI	20C ELONG %-2"	% Hard RB	Tail Hard
02X2A3 DA	02X2A3 D	F T	92.66	44.92	51.32	86.00	87.00

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy
 of the test methods used, the material meets the specifications stated. These results relate only to the items
 tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
 Dept. Mgr.


 ABHIJEET BHAVE

11/26/2015

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
.0750 Nom X 48.0000" X 120.0000"
PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

21Mar16
Pg 1/1

Signed by:

No. 600, Xinglong St., Jiexing Yi., Gangshan Dist.,
Kaohsiung City 82057, Taiwan (R.O.C)

Specification/Steel Grade : DIN EN 10028-7 1.4301/1.4307_C
Surface Finish : No.28

1. We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. The material described above has been detected with free irradiation.
3. VUSON has established a QMS according to ISO 9001 which is certified by DNV CERT (reg.-no. 0058-2002-XQ-RGC-RYA).
4. Inspection and gauge measurement: Satisfactory
5. The report can only be reproduced in full.
6. This certificate complies to 3.1/DIN EN 10204:2005.
7. The tests including "Tensile Test", "Intergranular Attack" (I.I. TEST) have been accredited by A2LA TESTING CERT #0958.02).

F. A. Hudson

Doc No. 220730 Indexed 4Nov15 by slssup1